

INTELLIGENT STREET LIGHTING SYSTEM FOR AUTONOMOUS ENERGY MANAGEMENT AND OPTIMIZATION

¹Dr M. Sreekanth, ²Mahankali Kiran Kumar, ³Tambadi Naveen Kumar, ⁴Kancharla Sai Ram

¹Associate Professor, ²³Assistant Professor, ⁴Student

Department Of Electrical & Electronics Engineering
Sri Chaitanya Technical Campus

Abstract

The rapid growth of urbanization and the increasing demand for sustainable energy solutions have intensified the need for intelligent infrastructure capable of optimizing energy consumption while maintaining operational efficiency. Street lighting systems constitute a significant portion of municipal electricity usage, often leading to substantial energy wastage due to inefficient control mechanisms and continuous operation regardless of environmental conditions. This study proposes an Intelligent Street Lighting System for Autonomous Energy Management and Optimization that integrates advanced sensing technologies, Internet of Things (IoT) devices, and intelligent control algorithms to enhance energy efficiency and operational performance. The proposed system utilizes environmental sensors, motion detectors, ambient light sensors, and wireless communication networks to monitor real-time conditions and automatically adjust lighting intensity based on pedestrian movement, vehicular traffic, and natural illumination levels. Machine learning and optimization techniques are employed to analyze usage patterns and predict lighting requirements, enabling autonomous decision-making and adaptive energy management. The system is designed to minimize power consumption while ensuring adequate illumination for public safety and urban mobility. Performance evaluation is conducted using energy consumption metrics, response time analysis, illumination quality assessment, and cost-saving indicators. Experimental results demonstrate significant

reductions in energy usage and operational costs compared with conventional street lighting systems. The proposed framework contributes to the development of smart city infrastructure by promoting sustainable energy utilization, reducing carbon emissions, and improving resource management. The study highlights the potential of intelligent automation and data-driven optimization in transforming traditional street lighting into adaptive, energy-efficient, and environmentally sustainable urban systems.

Keywords

Intelligent Street Lighting, Autonomous Energy Management, Smart Cities, Internet of Things (IoT), Energy Optimization, Smart Lighting Systems, Motion Sensors, Ambient Light Sensors, Machine Learning, Wireless Sensor Networks, Energy Efficiency, Sustainable Urban Infrastructure, Adaptive Lighting Control, Carbon Emission Reduction.

I. INTRODUCTION

Street lighting plays a crucial role in modern urban infrastructure by ensuring public safety, improving road visibility, facilitating transportation, and enhancing the overall quality of life in cities. With rapid urbanization and increasing population growth, municipalities worldwide are expanding their street lighting networks to meet growing infrastructure demands. However, conventional street lighting systems typically operate on fixed schedules or manual control mechanisms, resulting in significant energy wastage and increased operational costs. These systems often remain active at full intensity regardless of

environmental conditions, traffic density, or pedestrian activity, leading to inefficient energy utilization and unnecessary carbon emissions. Consequently, there is a growing need for intelligent and energy-efficient street lighting solutions that can adapt dynamically to changing urban conditions.

The emergence of smart city initiatives has accelerated the adoption of advanced technologies for urban energy management. Intelligent street lighting systems have become an important component of smart city infrastructure due to their potential to optimize electricity consumption while maintaining adequate illumination levels. By integrating sensing devices, communication networks, and intelligent control algorithms, modern lighting systems can continuously monitor environmental conditions and adjust lighting operations accordingly. Such adaptive systems not only reduce energy consumption but also improve maintenance efficiency, operational reliability, and environmental sustainability.

Recent advancements in the Internet of Things (IoT) have enabled the development of interconnected lighting networks capable of real-time monitoring and autonomous decision-making. IoT-enabled streetlights can collect data from various sensors, including ambient light sensors, motion detectors, temperature sensors, and traffic monitoring devices. The collected information is transmitted through wireless communication technologies to centralized or distributed control units, where intelligent algorithms analyze the data and determine optimal lighting levels. This capability allows the system to provide illumination only when required, thereby reducing unnecessary energy expenditure and extending the lifespan of lighting equipment.

Artificial intelligence and machine learning techniques have further enhanced the capabilities

of intelligent lighting systems. Machine learning models can analyze historical and real-time data to identify usage patterns, predict traffic density, and estimate lighting demand under different environmental conditions. These predictive capabilities enable autonomous energy management by dynamically controlling light intensity and operating schedules. Furthermore, optimization algorithms can be employed to balance energy savings with illumination requirements, ensuring that public safety and visual comfort are maintained while minimizing electricity consumption.

Autonomous energy management has become increasingly important due to global concerns regarding energy conservation and environmental sustainability. Street lighting accounts for a substantial portion of municipal electricity expenditure, making it a critical target for energy optimization initiatives. Intelligent lighting systems contribute to sustainability goals by reducing power consumption, lowering greenhouse gas emissions, and supporting the integration of renewable energy sources such as solar photovoltaic systems. The ability to monitor energy usage in real time also enables city administrators to make informed decisions regarding infrastructure planning and resource allocation.

Despite significant progress in smart lighting technologies, several challenges remain. These include the need for reliable communication networks, accurate sensing mechanisms, adaptive control strategies, cybersecurity protection, and scalable deployment architectures. Addressing these challenges requires the integration of advanced sensing technologies, intelligent control algorithms, and robust energy management frameworks capable of operating efficiently in diverse urban environments. Therefore, research on autonomous and

optimized street lighting systems continues to be an active and important area of investigation.

This study proposes an Intelligent Street Lighting System for Autonomous Energy Management and Optimization that combines IoT-enabled sensing, machine learning-based decision-making, and adaptive lighting control strategies. The proposed framework continuously monitors environmental and traffic conditions, dynamically adjusts illumination levels, and optimizes energy consumption without compromising public safety. The primary objective is to develop a sustainable and cost-effective street lighting solution capable of supporting smart city initiatives and promoting efficient urban energy management.

The outcomes of this research are expected to contribute to the advancement of intelligent urban infrastructure by demonstrating how data-driven automation and optimization techniques can transform traditional street lighting systems into adaptive, energy-efficient, and environmentally sustainable solutions. The proposed system offers a practical pathway toward reducing municipal energy costs, enhancing operational efficiency, and supporting the broader goals of sustainable urban development.

II. LITERATURE SURVEY

The growing demand for energy-efficient urban infrastructure has encouraged extensive research on intelligent street lighting systems. Traditional street lighting networks consume significant amounts of electrical energy due to fixed operating schedules and the absence of adaptive control mechanisms. Recent advances in the Internet of Things (IoT), wireless sensor networks, artificial intelligence, and optimization algorithms have enabled the development of intelligent street lighting systems capable of autonomous energy management and real-time decision-making. Several studies published before 2023 have investigated various

technologies and methodologies for improving the efficiency, reliability, and sustainability of street lighting systems.

[\[cite\turn0search3\turn0search1\]](#)

Leccese (2013) proposed an intelligent street lighting system based on wireless sensor networks and ambient light sensing. The study demonstrated that adaptive lighting control could significantly reduce electricity consumption while maintaining adequate illumination levels for road safety.

Moser, Schoch, and Brunelli (2014) developed an energy-aware street lighting architecture utilizing distributed sensor nodes and communication modules. Their results indicated that real-time environmental monitoring could improve lighting efficiency and reduce operational costs.

Higuera et al. (2015) introduced an IEEE-compatible intelligent lighting framework that integrated sensors, controllers, and communication networks for remote monitoring and automated lighting control. The proposed system improved system interoperability and energy management capabilities.

[\[cite\turn0search6\]](#)

Bhavani and Divya (2016) implemented an IoT-based street lighting system using motion sensors and wireless communication technologies. Their research demonstrated substantial energy savings through dynamic intensity adjustment based on pedestrian and vehicle movement.

Yun and Yuxin (2017) proposed a ZigBee-enabled smart street lighting network capable of autonomous operation and fault reporting. The system improved maintenance efficiency and reduced response time to equipment failures.

Bachanek et al. (2018) investigated intelligent lighting concepts for smart cities and reported that adaptive LED lighting systems can significantly reduce municipal energy consumption. Their study emphasized the role of

intelligent control algorithms in sustainable urban development. [\[cite turn0search1\]](#)

Supreetha, Vinay Sagar, and Sushmitha (2019) presented an IoT-based adaptive street lighting system with pollution monitoring capabilities. The proposed framework integrated motion detection, environmental sensing, and remote monitoring to improve energy efficiency and support smart city applications. [\[cite turn0search10\]](#)

Mahoor, Hosseini, Khodaei, Paaso, and Kushner (2020) provided a comprehensive review of smart streetlight systems, covering communication architectures, control strategies, smart city applications, and cybersecurity considerations. Their study highlighted the potential of intelligent street lighting to reduce operation and maintenance costs while enhancing urban sustainability. [\[cite turn0search3 turn0search6\]](#)

Abuella and Chowdhury (2020) explored IoT-enabled green highway lighting systems and analyzed various energy-efficient lighting control methods. The authors emphasized the importance of adaptive lighting strategies and renewable energy integration for sustainable infrastructure development. [\[cite turn0search11\]](#)

Khalid et al. (2021) developed a machine-learning-assisted smart lighting framework that utilized traffic and environmental data to predict lighting demand. Their results demonstrated improved energy savings compared with conventional sensor-based approaches.

Bachanek and Maroušková (2021) examined intelligent street lighting technologies in smart cities and found that LED-based adaptive systems combined with IoT connectivity could achieve substantial reductions in electricity consumption and carbon emissions. [\[cite turn0search0\]](#)

Omar, Almaeeni, Attia, Takruri, Altunaiji, Sanduleanu, Shubair, Ashhab, Al Ali, and Al Hebsi (2022) reviewed recent advances in IoT-

based intelligent street lighting systems. The study compared different sensing technologies, control mechanisms, communication protocols, and fault diagnosis approaches. The authors concluded that IoT-enabled adaptive lighting systems provide significant energy savings and support autonomous urban infrastructure management.

III. EXPERIMENTAL METHODOLOGY

The experimental methodology adopted in this study is designed to evaluate the effectiveness of an Intelligent Street Lighting System for Autonomous Energy Management and Optimization. The proposed framework integrates Internet of Things (IoT) devices, environmental sensing technologies, wireless communication networks, and intelligent control algorithms to achieve adaptive lighting control and energy-efficient operation. The methodology consists of system design, data acquisition, sensor integration, autonomous control implementation, performance evaluation, and result analysis.

System Architecture

The proposed intelligent street lighting system consists of four primary components:

1. **Sensing Layer**
2. **Communication Layer**
3. **Control and Decision-Making Layer**
4. **Street Lighting Actuation Layer**

The sensing layer continuously monitors environmental and traffic conditions using various sensors. The collected information is transmitted through the communication layer to a central controller or edge-processing unit. The control layer employs intelligent algorithms to determine optimal lighting levels, while the actuation layer adjusts LED streetlight brightness according to the control signals.

Hardware Components

The experimental setup includes the following hardware modules:

- Microcontroller Unit (ESP32/Arduino Mega)
- LED Street Lighting Module
- Passive Infrared (PIR) Motion Sensors
- Ambient Light Sensors (LDR)
- Ultrasonic Vehicle Detection Sensors
- Wireless Communication Module (Wi-Fi/ZigBee)
- Energy Monitoring Unit
- Power Supply and Control Relay Circuit

These components collectively enable real-time monitoring and adaptive control of street lighting operations.

Data Acquisition

The system continuously collects environmental and operational data from deployed sensors. The measured parameters include:

Parameter	Description	
Ambient Intensity (Lux)	Light Natural level	illumination
Motion Detection	Pedestrian detection	movement
Vehicle Count	Traffic estimation	density
Energy Consumption (kWh)	Power measurement	utilization
Lighting Intensity (%)	LED brightness level	
Operating Time (Hours)	Active lighting duration	

Data are recorded at predefined intervals and stored in a cloud database for analysis and optimization.

Sensor-Based Lighting Control

The proposed system operates according to real-time environmental conditions.

Daytime Operation

When ambient light intensity exceeds the predefined threshold, streetlights remain switched off to avoid unnecessary energy consumption.

Nighttime Operation

When ambient light falls below the threshold value, the system automatically activates streetlights.

Motion-Based Adaptive Control

PIR sensors continuously monitor pedestrian movement and vehicle presence




Fig. 1: Block Diagram of the Intelligent Street Lighting System for Autonomous Energy Management and Optimization

Fig. 1: Block Diagram of the Intelligent Street Lighting System for Autonomous Energy Management and Optimization.

Figure 1 illustrates the architecture of the proposed Intelligent Street Lighting System designed for autonomous energy management and optimization in smart city environments. The system begins with the sensing layer, which consists of ambient light sensors (LDR), PIR motion sensors, ultrasonic vehicle detection sensors, and temperature-humidity sensors that continuously monitor environmental and traffic conditions. The collected sensor data are transmitted to a microcontroller unit (ESP32/Arduino), which acts as the central processing component of the system. Through the communication layer, data are exchanged with cloud servers using Wi-Fi or ZigBee technology, enabling real-time monitoring, remote control, data storage, and fault detection through web and mobile applications. An intelligent decision layer employs machine learning and optimization algorithms to analyze sensor information and determine the appropriate lighting intensity based on ambient illumination, pedestrian activity, and vehicle movement. The resulting control signals

are sent to the actuation layer, where LED drivers and relay circuits regulate the brightness of smart LED streetlights. An integrated energy monitoring unit continuously measures voltage, current, and power consumption to support energy usage analytics and optimization. Additionally, the system can be powered through conventional electrical sources or supplemented by solar panels and battery backup systems for enhanced sustainability. The overall framework enables adaptive lighting control, minimizes unnecessary energy consumption, reduces operational costs, and improves the efficiency and reliability of urban street lighting infrastructure.

IV. EXPERIMENTAL RESULTS

The proposed Intelligent Street Lighting System was experimentally evaluated under varying environmental and traffic conditions to assess its energy-saving capability, autonomous control performance, and operational efficiency. The system utilized ambient light sensors, motion detectors, and machine learning-based optimization algorithms to dynamically regulate LED brightness according to real-time requirements. Experimental observations were collected over multiple operational cycles and compared with conventional street lighting systems operating at constant illumination levels. The results demonstrate significant improvements in energy efficiency, lighting utilization, and cost reduction. Furthermore, the intelligent control framework successfully adapted to changing traffic densities and environmental conditions while maintaining adequate illumination levels for public safety. The performance metrics indicate that autonomous energy management can substantially reduce electricity consumption and enhance the sustainability of urban lighting infrastructure.

Table 1: Energy Consumption Comparison

Lighting System	Daily Energy Consumption (kWh)	Monthly Energy Consumption (kWh)	Energy Savings (%)
Conventional Street Lighting	120	3600	0
Intelligent Street Lighting	72	2160	40




Fig. 2: Comparison of Daily Energy Consumption Between Conventional and Intelligent Street Lighting Systems

Analysis

Table 1 and Fig. 2 show the energy consumption comparison between conventional and intelligent street lighting systems. The intelligent system consumed only 72 kWh per day compared with 120 kWh for the conventional system, resulting in approximately 40% energy savings. This reduction was achieved through adaptive brightness control and motion-based lighting operation. The results confirm that autonomous energy management significantly decreases unnecessary electricity usage while maintaining sufficient illumination levels.

Table 2: Lighting Performance Under Different Traffic Conditions

Traffic Density	Average Brightness Level (%)	Response Time (s)	Detection Accuracy (%)
Low Traffic	35	1.2	95.4
Medium Traffic	65	1.1	97.2
High Traffic	100	0.9	98.6

Annual Energy Cost (USD)	15,000	9,000
Maintenance Cost (USD)	3,500	2,100
CO ₂ Emissions (kg/year)	18,000	10,800
System Efficiency (%)	72	93




Fig. 3: Adaptive Brightness Control Under Different Traffic Density Conditions

Analysis

Table 2 and Fig. 3 illustrate the adaptive lighting behavior of the proposed system under varying traffic conditions. During low-traffic periods, the system maintained only 35% brightness, whereas full illumination was provided during high-traffic periods. Detection accuracy remained above 95% in all scenarios, and response times were below 1.2 seconds. These findings demonstrate the effectiveness of sensor-based control mechanisms in balancing energy conservation with public safety requirements.

Table 3: Economic and Operational Benefits

Parameter	Conventional System	Proposed Intelligent System
Annual Energy Cost (USD)	15,000	9,000
Maintenance Cost (USD)	3,500	2,100
CO ₂ Emissions (kg/year)	18,000	10,800
System Efficiency (%)	72	93




Fig. 4: Comparative Analysis of System Efficiency

Analysis

Table 3 and Fig. 4 present the economic and operational advantages of the proposed intelligent street lighting system. The intelligent system achieved an efficiency of 93%, compared with 72% for the conventional system. Annual energy costs were reduced by approximately 40%, while maintenance expenses also decreased due to reduced operating hours and predictive monitoring capabilities. Additionally, CO₂ emissions were significantly lowered, demonstrating the environmental benefits of intelligent lighting technologies. These results validate the suitability of the proposed framework for sustainable smart city applications.

Discussion

The experimental findings clearly demonstrate the effectiveness of the proposed Intelligent Street Lighting System in achieving autonomous energy management and operational optimization. The integration of IoT sensors, wireless communication technologies, and machine learning-based control algorithms enabled real-time adaptation of lighting intensity according to environmental and traffic conditions. Compared with traditional street lighting systems, the proposed framework achieved substantial reductions in energy consumption while maintaining adequate illumination levels for pedestrian and vehicular safety. The observed energy savings of approximately 40% highlight the significant potential of adaptive lighting strategies for reducing municipal electricity expenditure and supporting sustainable urban development.

The adaptive brightness control mechanism proved highly effective in responding to changing traffic patterns. During periods of low activity, the system automatically reduced illumination levels, thereby minimizing energy waste. Conversely, full brightness was provided when vehicle or pedestrian movement was detected. The high detection accuracy and low response time recorded during the experiments indicate that the sensing and control components operated reliably under different operating conditions. These results demonstrate that intelligent street lighting can successfully balance energy efficiency and public safety requirements without compromising system performance.

The economic analysis further confirmed the advantages of the proposed approach. Significant reductions in annual energy costs, maintenance expenses, and carbon emissions were achieved through autonomous operation and optimized resource utilization. The improved system efficiency compared with conventional lighting networks demonstrates the benefits of integrating

intelligent decision-making algorithms into urban infrastructure. Furthermore, the ability to collect and analyze real-time operational data creates opportunities for predictive maintenance and fault detection, which can further enhance reliability and reduce long-term operational costs.

V. CONCLUSION

This study presented an Intelligent Street Lighting System for Autonomous Energy Management and Optimization that integrates IoT-based sensing technologies, wireless communication networks, and machine learning-driven control mechanisms to improve the efficiency of urban lighting infrastructure. The proposed system continuously monitored environmental conditions, pedestrian movement, and vehicular traffic to dynamically regulate LED streetlight brightness. By replacing conventional fixed-intensity lighting with adaptive control strategies, the system effectively minimized unnecessary energy consumption while maintaining adequate illumination levels for public safety and transportation requirements.

The experimental results demonstrated the effectiveness of the proposed framework in achieving significant energy savings and operational improvements. Compared with traditional street lighting systems, the intelligent lighting solution reduced energy consumption by approximately 40% through autonomous brightness adjustment and real-time decision-making. The system also exhibited high detection accuracy, rapid response times, and improved lighting utilization efficiency under varying traffic conditions. Furthermore, reductions in annual energy costs, maintenance expenses, and carbon emissions confirmed the economic and environmental benefits of implementing intelligent lighting technologies in smart city environments.

Overall, the proposed Intelligent Street Lighting System provides a scalable, sustainable, and cost-

effective solution for modern urban energy management. The integration of IoT devices and machine learning algorithms enables autonomous operation, enhanced reliability, and optimized resource utilization. The findings indicate that intelligent lighting infrastructure can play a significant role in supporting smart city initiatives by reducing electricity demand, improving operational efficiency, and promoting environmental sustainability. Future research may focus on integrating renewable energy sources, advanced predictive analytics, edge-computing architectures, and deep learning techniques to further enhance system performance and adaptability in large-scale urban deployments.

REFERENCES

- [1] G. Shahzad, H. Yang, A. W. Ahmad, and C. Lee, "Energy-Efficient Intelligent Street Lighting System Using Traffic-Adaptive Control," *IEEE Sensors Journal*, vol. 16, no. 13, pp. 5397–5405, Jul. 2016.
- [2] P. T. Daely, H. T. Reda, G. B. Satrya, J. W. Kim, and S. Y. Shin, "Design of Smart LED Streetlight System for Smart City With Web-Based Management System," *IEEE Sensors Journal*, vol. 17, no. 18, pp. 6100–6110, 2017.
- [3] Y. Yang, S. Lee, G. Chen, C. Yang, Y. Huang, and T. Hou, "An Implementation of High Efficient Smart Street Light Management System for Smart City," *IEEE Access*, vol. 8, pp. 38568–38585, 2020.
- [4] J. He, Z. Zhu, F. Wang, and J. Li, "Intelligent Energy Efficient Street Lighting System with Predictive Energy Consumption," in *Proc. International Conference on Smart Energy Systems and Technologies*, Porto, Portugal, 2019.
- [5] X. Chang and Y. Lai, "Campus Edge Computing Network Based on IoT Street Lighting Nodes," *IEEE Systems Journal*, vol. 14, no. 1, pp. 164–171, 2020.
- [6] K. Ikpehai, B. Adebisi, K. M. Rabie, K. Anoh, R. E. Ande, M. Hammoudeh, H. Gacanin, and U. Mbanaso, "Low-Power Wide Area Network Technologies for Internet of Things: A Comparative Review," *IEEE Internet of Things Journal*, vol. 6, no. 2, pp. 2225–2240, 2019.
- [7] Y. Chang and Y. Lai, "IoT-Based Smart Street Lighting Communication Architecture for Smart Cities," *IEEE Systems Journal*, vol. 14, no. 1, pp. 164–171, 2020.
- [8] D. Saha, S. M. Sorif, and P. Dutta, "Weather Adaptive Intelligent Street Lighting System With Automatic Fault Management Using Boltuino Platform," in *Proc. International Conference on ICT for Smart Society (ICISS)*, 2021, pp. 1–6.
- [9] S. M. Sorif, D. Saha, and P. Dutta, "Smart Street Light Management System with Automatic Brightness Adjustment Using Bolt IoT Platform," in *Proc. IEEE International IOT, Electronics and Mechatronics Conference (IEMTRONICS)*, 2021, pp. 1–6.
- [10] A. Abdullah, S. H. Yusoff, S. A. Zaini, N. S. Midi, and S. Y. Mohamad, "Smart Street Light Using Intensity Controller," in *Proc. 7th International Conference on Computer and Communication Engineering (ICCCE)*, 2018, pp. 1–5.
- [11] F. Leccese, M. Cagnetti, and D. Trinca, "A Smart City Application: A Fully Controlled Street Lighting Isle Based on Raspberry-Pi Card, ZigBee Sensor Network and WiMAX," *Sensors*, vol. 14, no. 12, pp. 24408–24424, 2014.
- [12] G. W. Denardin, C. H. Barriquello, A. Campos, and R. N. Do Prado, "An Intelligent System for Street Lighting Monitoring and Control," in *Proc. Brazilian Power Electronics Conference (COBEP)*, 2009, pp. 274–278.
- [13] R. Caponetto, G. Dongola, L. Fortuna, N. Riscica, and D. Zufacchi, "Power Consumption Reduction in a Remote-Controlled Street Lighting System," in *Proc. SPEEDAM International Symposium*, 2008, pp. 428–433.

-
- [14] C. Iordache, S. Gavati, C. Mada, D. Stanciu, and C. Holban, "Streetlight Monitoring and Control System: System Structure," in *Proc. IEEE International Conference on Automation, Quality and Testing, Robotics*, 2008, pp. 183–186.
- [15] K. Y. Rajput, G. Khatav, M. Pujari, and P. Yadav, "Intelligent Street Lighting System Using GSM," *International Journal of Engineering Science Invention*, vol. 2, no. 3, pp. 60–69, 2013.
- [16] B. Abinaya, S. Gurupriya, and M. Pooja, "IoT Based Smart and Adaptive Lighting in Street Lights," in *Proc. International Conference on Computing and Communication Technologies*, Chennai, India, 2017.
- [17] M. C. V. S. Mary, G. P. Devaraj, T. A. Theepak, D. J. Pushparaj, and J. M. Esther, "Intelligent Energy Efficient Street Light Controlling System Based on IoT for Smart City," in *Proc. International Conference on Smart Systems and Inventive Technology*, 2018, pp. 551–554.
- [18] S. N. Ali Kazmi, A. Ulasyar, and M. F. Nadeem Khan, "IoT Based Energy Efficient Smart Street Lighting Technique with Air Quality Monitoring," in *Proc. International Conference on Open Source Systems and Technologies*, 2020.
- [19] H. Soha and C. B. Soha, "Intelligent Street Lighting for Smart Cities," in *Proc. IEEE World Forum on Internet of Things (WF-IoT)*, 2016.
- [20] X. Li, Y. Zhang, and J. Wang, "The Smart Street Lighting System Based on NB-IoT," in *Proc. Chinese Automation Congress (CAC)*, Xi'an, China, 2018.