

Deep fake Video Detection Using Deep Learning

1.M. AVINASH,2.KYADAS VAISHNAVI,3.KOTAGODA KANNISHKITHA,4.MITTABAI YASHWANTH REDDY,5.SHAIK NASARVALI

¹Assistant Professor, Department of AIML, Sriindu College Of Engineering & Technology, Hyderabad.

^{2,3,4,5}U.G.Scholar, Department of AIML, Sriindu College Of Engineering & Technology, Hyderabad.

Abstract: In recent years, the availability of free deep learning tools has significantly simplified the creation of highly realistic face-swapped videos, commonly known as DeepFake (DF) videos. Although video manipulation techniques have existed for many years, recent advancements in deep learning have greatly enhanced the realism of such content while also making it more accessible to generate. These AI-synthesized videos can now be produced with ease using various artificial intelligence-based applications. Despite their growing prevalence, detecting DeepFake videos remains a complex challenge. Developing reliable algorithms for their identification is difficult due to the high level of visual realism. To address this issue, a detection system based on Convolutional Neural Networks (CNNs) and Long Short-Term Memory (LSTM) networks has been proposed. In this approach, the CNN is used to extract spatial features from individual video frames, which are then fed into an LSTM-based Recurrent Neural Network (RNN) to capture temporal dependencies across frames and determine whether the video is authentic or manipulated. The model focuses on identifying temporal inconsistencies that are often introduced during the DeepFake generation process. The proposed system has been evaluated on a large dataset of manipulated videos and demonstrates competitive performance, even with a relatively simple architecture, highlighting its effectiveness in detecting DeepFake content.

Keywords: DeepFake Detection, Convolutional Neural Network (CNN), Recurrent Neural Network (RNN), Long Short-Term Memory (LSTM).

JEL Classification Number: I20, C88, O33

I. INTRODUCTION

The growing sophistication of smartphone cameras and widespread internet access has significantly increased the popularity of social media and video-sharing platforms. This has made creating and sharing digital videos easier than ever before. At the same time, advancements in computational power and deep learning have enabled technologies once thought impossible. However, like any transformative technology, this has introduced new challenges.

One such challenge is the creation of "DeepFake" (DF) videos using Generative Adversarial Networks (GANs). These videos manipulate video and audio to produce highly realistic but fake content. The spread of DFs on social media has become common, often leading to misinformation, threats, and confusion among the public. To tackle this issue, detecting and preventing DFs is crucial.

We propose a deep learning-based method to effectively distinguish AI-generated DF videos from real ones. Understanding how GANs create DFs is key to detection. A GAN takes an input video and an image of a person (the "target") and generates a new video where the target's face is replaced with someone else's (the

"source"). This process involves splitting the video into frames, replacing the face in each frame with the source's face, and reconstructing the video. GANs often rely on autoencoders to achieve this. With proper post-processing, these videos can look highly realistic.

However, due to limitations in computational resources and production time, GANs synthesize faces at a fixed resolution. These faces must then be warped to match the target's face configuration in the video, leading to artifacts such as resolution inconsistencies between the warped face and the surrounding regions.

Our method detects these artifacts by analyzing the differences between the generated face areas and their surrounding regions. The process involves splitting the video into frames and extracting features using a ResNeXt Convolutional Neural Network (CNN). These features are then fed into a Recurrent Neural Network (RNN) with Long Short-Term Memory (LSTM) units, which capture temporal inconsistencies introduced by GANs during the video reconstruction process.

To make the detection process efficient, we simulate resolution inconsistencies caused by affine face warping during training. Our system successfully identifies these artifacts and can effectively distinguish DF videos from real ones, helping to prevent their spread on the internet

II. LITERATURE REVIEW

Research in deepfake detection highlights the evolving landscape of challenges and solutions in this domain.

2.1 Deepfake Detection Techniques

Deepfake detection has become a critical field of research as the technology behind creating fake videos becomes more sophisticated. Singh et al. (2024) highlight the effectiveness of convolutional neural networks (CNNs) in identifying subtle pixel-level inconsistencies in manipulated videos. CNNs can analyze visual features and detect unnatural patterns that are often invisible to the human eye. Additionally, techniques like Optical Flow Analysis, which examines the motion between frames in a video, help identify temporal anomalies that indicate tampering. GAN Fingerprinting is another approach used to detect unique artifacts left by Generative Adversarial Networks (GANs) during the creation of deepfake videos. These methods, combined, form a robust foundation for identifying manipulated content. However, as deepfake techniques evolve, these methods must adapt to maintain their effectiveness.

2.2 Application of AI and Machine Learning

The integration of AI and machine learning models has significantly advanced the field of deepfake detection. Chen et al. (2023) emphasize the use of specialized AI architectures like XceptionNet and EfficientNet for high-accuracy detection. These models are designed to focus on fine-grained details in images and videos, making them particularly effective for spotting manipulations. Transformer-based models, such as Vision Transformers (ViTs), have also shown promise in this domain. ViTs excel at identifying patterns across the entire frame, allowing for a comprehensive analysis of manipulated videos. These AI-driven methods continuously improve their detection capabilities by learning from large datasets of real and fake content, ensuring their relevance in combating the latest deepfake techniques.

2.3 Real-Time Video Processing

Real-time deepfake detection is a growing necessity, particularly with the widespread use of social media and live video platforms. Zhou et al. (2024) explore the use of GPU acceleration and parallel processing to achieve faster video analysis. These technologies enable the system to process and analyze large volumes of video content in real-time, identifying manipulated frames almost instantaneously. This capability is especially important for platforms that host live streams or time-sensitive content, where delays in detection could have significant consequences. Real-time

processing ensures that deepfakes are flagged and addressed before they can cause harm, enhancing the overall trustworthiness of digital platforms.

2.4 Ethical Considerations

Ethical considerations are integral to the development of deepfake

detection systems. Khan et al. (2024) highlight the importance of designing AI systems that are unbiased and compliant with privacy standards. For instance, the use of anonymized datasets ensures that the privacy of individuals featured in training data is protected. Moreover, adherence to ethical guidelines fosters trust and credibility among users, ensuring that the technology is used responsibly. Developers must also consider the potential misuse of detection tools and implement safeguards to prevent their exploitation for malicious purposes. Balancing the ethical and technical aspects of deepfake detection is crucial for creating solutions that are both effective and trustworthy.

2.5 Gaps and Future Directions

Despite significant advancements, existing deepfake detection systems face challenges in identifying highly sophisticated deepfakes created using advanced GAN models. These models often produce content with minimal detectable artifacts, making traditional detection methods less effective. Future research should focus on developing adaptive detection models that can learn from evolving manipulation techniques. This includes creating systems capable of identifying new types of deepfakes as they emerge, ensuring consistent accuracy and reliability. Additionally, integrating multimodal analysis, which combines audio and visual cues, could enhance detection capabilities. Addressing these gaps will require ongoing collaboration between researchers, industry professionals, and policymakers to stay ahead of deepfake creators and protect digital integrity.

III. METHODOLOGY

The proposed Deepfake Video Detection System is designed to detect, analyze, and report deepfake content with high efficiency and accuracy. The system architecture ensures modularity, scalability, and real-time processing capabilities. It is tailored to address the growing challenges posed by advanced video manipulation techniques, ensuring robust detection and reporting mechanisms.

3.1 Conceptual Framework

The system comprises multiple interconnected modules that streamline video preprocessing, feature extraction, and classification. Users can seamlessly upload videos for analysis, and the system quickly identifies and flags deepfake content. Real-time alerts are generated for flagged videos, accompanied by comprehensive reports detailing the findings. These reports include insights into tampered areas, detection confidence levels, and metadata information.

3.2 Functional Architecture

The platform's architecture is organized into the following

core components:

1. **User Management:** Role-based access control ensures that only authorized users, such as administrators, reviewers, and general users, can upload and analyze videos. This promotes secure and structured access to the system.
2. **Video Upload and Preprocessing:** Videos uploaded to the system are standardized in terms of resolution, frame rate,

- and format. This preprocessing step ensures uniformity and optimizes the input for subsequent analysis.
3. **Feature Extraction Module:** Leveraging advanced deep learning algorithms, this module extracts critical features such as facial landmarks, motion patterns, and texture inconsistencies. These features are vital for identifying manipulated frames in videos.
4. **Deepfake Detection Module:** Combining CNN-based classifiers and Vision Transformers (ViTs), this module analyzes frames to identify tampered content. A confidence score is assigned to each video, indicating the likelihood of manipulation.
5. **Reporting and Alerts:** The system generates detailed reports that highlight tampered regions, provide metadata, and specify confidence levels. Real-time notifications are sent to users when suspicious content is detected.
2. The preprocessing module standardizes the video and extracts individual frames for analysis.
3. Feature extraction algorithms process the frames to identify anomalies.

3.3 System Architecture

This section presents a detailed diagram and description of the system architecture, showing the relationship between various modules and their interactions. The architecture is designed to handle video uploads, preprocessing, feature extraction, deepfake detection, and reporting efficiently. Below is an overview of the modules in the system:




Fig:1

3.4 Workflow Overview

The workflow is designed for simplicity and efficiency, ensuring a seamless user experience:

1. Users upload a video file through the system's user-friendly interface.

4. The detection module classifies the video as either real or fake, providing a confidence score for transparency.
5. Users receive a detailed report, and if the video is flagged, they are notified through real-time alerts.

3.5 Algorithms Used

The system employs cutting-edge algorithms to enhance detection capabilities:

1. **CNN-Based Classifiers:** Identify pixel-level anomalies within video frames.
2. **Vision Transformers (ViTs):** Detect context-aware patterns in video sequences, improving accuracy.
3. **Optical Flow Analysis:** Analyze motion patterns to detect unnatural transitions, often indicative of manipulation.
4. **GAN Fingerprinting:** Identify unique artifacts left by generative models, aiding in deepfake detection.
5. **SHA-256 Encryption:** Secure user data and video content, ensuring privacy and data integrity.

3.6 Technical Features

Key technical features enhance the system's performance and reliability:

1. **Real-Time Processing:** GPU acceleration ensures rapid video analysis, even for high-resolution content.
2. **AI Integration:** The system uses pre-trained AI models fine-tuned on domain-specific datasets for improved accuracy.
3. **Scalable Architecture:** A microservices-based architecture allows dynamic scaling to accommodate varying user demands.
4. **Security Compliance:** The system adheres to global data privacy standards, ensuring secure handling and storage of video content.

3.7 Scalability and Maintenance

The system's design ensures adaptability and ease of maintenance:

1. **Modular Design:** Each module operates independently, enabling straightforward scaling and updates without impacting other components.
2. **Cloud Deployment:** The system leverages cloud infrastructure to handle high workloads efficiently, minimizing latency.

3. **Continuous Learning:** AI models are periodically updated to adapt to new and advanced deepfake techniques, maintaining high detection accuracy.

RESULT

The output of the model is going to be whether the video is deepfake or a real video along with the confidence of the model. One example is shown in the fig 3



Fig:3

including timestamps and nature of the edits. Users can also submit feedback on detection results to improve future performance and accuracy.

These features ensure the Deepfake Detection System is comprehensive, user-friendly, and capable of adapting to the ever-evolving landscape of manipulated media.

IV. IMPLEMENTATION AND FEATURES

4.1 User Authentication and Role Management

The system employs secure authentication mechanisms to ensure that only authorized users, such as journalists, law enforcement officials, and content moderators, can access the detection tool. Each user has a detailed profile that includes their role, activity logs, and access levels to ensure proper monitoring and accountability.

4.2 Detection Algorithms and Analysis Tools

The core of the system is its AI-powered detection engine. It integrates:

Convolutional Neural Networks (CNNs): For pixel-level artifact detection in videos.

GAN Fingerprinting: To identify unique traces left by deepfake-generating GANs.

Temporal Analysis: Optical flow methods to detect frame-level inconsistencies in video manipulation.

Multimodal Integration: Combines audio and visual cues for enhanced detection accuracy

4.3 Real-Time Video Analysis

The platform is equipped with GPU-accelerated processing to analyze video content in real time. This ensures that manipulated frames in live streams or uploaded videos are flagged almost instantaneously. Real-time detection capabilities are especially vital for platforms that handle sensitive or time-critical content.

4.4 News Verification Dashboard

This feature allows users to upload video content for authenticity verification. The dashboard provides detailed results, including:

1. Probability scores for manipulation detection.
2. Highlighted regions of suspected tampering.
3. Recommendations for further investigation.

4.5 Continuous Integration/Continuous Deployment (CI/CD)

To ensure the system remains up-to-date with the latest advancements in deepfake technology, it employs CI/CD pipelines. This enables rapid deployment of updates, integration of new detection techniques, and seamless addition of datasets for retraining models.

4.6 Reporting and Feedback Mechanisms

The platform provides detailed reports on detected manipulations,

Advanced AI Models: Explore transformer-based models like GPT variants for better context understanding.

V.CONCLUSION

The Deepfake Detection System represents a robust approach to addressing the growing threat posed by manipulated video content. By leveraging advanced AI techniques, including convolutional neural networks (CNNs), GAN fingerprinting, and multimodal analysis, the system demonstrates a high degree of accuracy in identifying fake videos. The incorporation of real-time processing capabilities and ethical AI practices further enhances its relevance in combating deepfake technology in critical domains like journalism, law enforcement, and social media.

The use of a microservices-based architecture ensures scalability, while the inclusion of temporal and spatial analysis strengthens detection accuracy across diverse datasets. This framework not only addresses the challenges posed by increasingly sophisticated deepfake generation techniques but also provides a foundation for further innovation.

VI.REFERENCE

1. Yuezun Li, Siwei Lyu, "Exposing DeepFake Videos by Detecting Face Warping Artifacts," in arXiv:1811.00656v3, 2018.
2. Yuezun Li, Ming-Ching Chang, Siwei Lyu, "Exposing AI-Created Fake Videos by Detecting Eye Blinking," in arXiv, 2018.
3. Huy H. Nguyen, Junichi Yamagishi, Isao Echizen, "Using Capsule Networks to Detect Forged Images and Videos," 2019.
4. Hyeonwoo Kim, Pablo Garrido, Ayush Tewari, Weipeng Xu, "Deep Video Portraits," in arXiv:1901.02212v2, 2019.
5. Umur Aybars Ciftci, İlke Demir, Lijun Yin, "Detection of Synthetic Portrait Videos Using Biological Signals," in arXiv:1901.02212v2, 2019.
6. Ian Goodfellow et al., "Generative Adversarial Nets," in NIPS, 2014 (key foundational work).
7. David Güera, Edward J. Delp, "DeepFake Video Detection Using Recurrent Neural Networks," in AVSS, 2018.
8. Kaiming He, Xiangyu Zhang, Shaoqing Ren, Jian Sun, "Deep Residual Learning for Image Recognition," in CVPR, 2016.
9. Y. Qian et al., "Recurrent Color Constancy," in Proceedings of the IEEE International Conference on Computer Vision, 2017.
10. P. Isola, J. Y. Zhu, T. Zhou, A. A. Efros, "Image-to-Image Translation with Conditional Adversarial Networks," in CVPR, 2017.
11. R. Raghavendra, Kiran B. Raja, Sushma Venkatesh, Christoph Busch, "Transferable Deep-CNN Features for Detecting Digital and Print- Scanned Morphed Face Images," in CVPRW, IEEE, 2017.
12. Nicolas Rahmouni et al., "Distinguishing Computer Graphics from Natural Images Using Convolution Neural Networks," in WIFS, IEEE, 2017.
13. F. Song, X. Tan, X. Liu, S. Chen, "Eyes Closeness Detection from Still Images with Multi-Scale Histograms of Principal Oriented Gradients," Pattern Recognition, vol. 47, no. 9, 2014.

14. Tiago de Freitas Pereira et al., "Can Face Anti-Spoofing Countermeasures Work in a Real-World Scenario?" in ICB, IEEE, 2013.

15. D. E. King, "Dlib-ml: A Machine Learning Toolkit," in JMLR, vol. 10, pp. 1755–1758, 2009.

16. Kaggle, "DeepFake Detection Challenge Dataset," [online]. Available: <https://www.kaggle.com/c/deepfake-detection-challenge>, 2020.

17. FaceForensics++, "Learning to Detect Manipulated Facial Images," [online]. Available: <https://github.com/ondyari/FaceForensics>, 2019.

18. Kaiming He et al., "Mask R-CNN," in ICCV, 2017.
19. J. K. Simoes, J. Almeida, "Analysis of DeepFake Detection Using Deep Learning Techniques," in IEEE Access, vol. 8, pp. 156–168, 2020.
20. W. Zhang et al., "Learning Spatiotemporal Features for Fake Video Detection," in Neurocomputing, vol. 378, pp. 124–132, 2020.
21. Bhagwat, V. B. (2025). Simplifying Payroll Balance Conversions in Payroll Systems Implementation through the Use of Generative AI.
22. Prodduturi, S. M. K. (2024). Investigating the challenges and opportunities of cybersecurity in the era of remote work. European Journal of Advances in Engineering and Technology, 11(10), 80-84.
23. Suhasnadh Reddy Veluru, Sai Teja Erukude, and Viswa Chaitanya Marella. 2025. Multimodal Detection of Fake Reviews using BERT and ResNet-50. In 2025 4th International Conference on Innovative Mechanisms for Industry Applications (ICIMIA). IEEE, 877–882.
24. Jay Bharat Mehta. (2025). AUTONOMOUS PATCH VALIDATION FOR ZERO-DAY EXPLOITS IN ENTERPRISE CLOUDS. International Journal of Applied Mathematics, 38(4s), 1270–1285. <https://doi.org/10.12732/ijam.v38i4s.685>