

A NOVEL HYBRID QUANTUM DEEP LEARNING APPROACH FOR CLASSIFICATION OF MULTI-CLASS BRAIN TUMOUR

Ramprasad Vangalapudi¹, M.Tech (Student) Department of Computer Science and Engineering, MVR College of Engineering & Technology (Autonomous), Paritala, India, ramprasdgurukul@gmail.com

Nagul Shareef Shaik², Assistant Professor, Department of Computer Science and Engineering, MVR College of Engineering & Technology (Autonomous), Paritala, India, nagulshareefsk91@gmail.com

ABSTRACT:

Accurate and timely brain tumor classification from magnetic resonance imaging (MRI) scans is essential for effective diagnosis and treatment planning. Although conventional deep learning models have achieved promising results, they often face challenges in capturing complex spatial patterns and high-dimensional features present in medical images. To address these limitations, this study proposes an efficient hybrid quantum deep learning model for multi-class brain tumor classification. By integrating quantum computing principles with conventional deep learning architectures, the proposed framework enhances feature representation and classification performance while reducing computational complexity.

The model employs convolutional neural networks (CNNs) for robust feature extraction, followed by quantum neural network (QNN)-based processing to improve classification of multiple brain tumor categories. A labelled MRI dataset is used to train and evaluate the proposed model using standard performance metrics, including accuracy, precision, recall, and F1-score. Experimental results demonstrate that the hybrid quantum deep learning approach outperforms conventional deep learning models in terms of classification accuracy, scalability, and computational efficiency. The findings highlight the potential of quantum-enhanced deep learning as a promising solution for next-generation medical image analysis and intelligent clinical decision support systems.

Unlike conventional approaches that rely solely on classical deep learning architectures, the proposed

framework integrates quantum computing with deep learning to achieve higher classification accuracy while improving computational efficiency. The model was trained and evaluated on a labelled

MRI dataset using standard performance metrics, including accuracy, precision, recall, and F1-score. Experimental results demonstrate that the proposed hybrid model consistently outperforms existing deep learning methods in accurately classifying multiple brain tumor types. These findings highlight the transformative potential of quantum-enhanced deep learning in advancing medical image analysis, enabling faster, more reliable, and intelligent diagnostic systems for future healthcare applications.

Keywords: Quantum Computing, Deep Learning, Hybrid Quantum Neural Networks, Brain Tumor Classification, Magnetic Resonance Imaging (MRI), Medical Image Analysis, Artificial Intelligence.

I. INTRODUCTION

Brain tumours are among the most critical disorders affecting the central nervous system, where early and accurate diagnosis is essential for effective treatment planning and improved patient outcomes. Magnetic Resonance Imaging (MRI) is the preferred imaging modality for brain tumor assessment due to its ability to provide high-resolution visualization of brain tissues and tumor structures. However, manual interpretation of MRI

scans is time-consuming, subject to inter-observer variability, and highly dependent on clinical expertise, making automated diagnostic systems increasingly important.

Recent advances in artificial intelligence, particularly deep learning, have significantly improved the automated classification of brain tumours from MRI images. Convolutional Neural Networks (CNNs) have demonstrated remarkable performance in extracting complex features and identifying tumor patterns with minimal human intervention. Despite these achievements, conventional deep learning models often require extensive computational resources, large, annotated datasets, and prolonged training times. Their performance may also degrade when distinguishing between visually similar tumor types or handling complex, high-dimensional medical imaging data.

Quantum computing has emerged as a promising paradigm capable of addressing several limitations of classical computing. By exploiting principles such as superposition and entanglement, quantum computing offers the potential to process complex information more efficiently than conventional approaches. Integrating quantum computing with deep learning has led to the development of hybrid quantum deep learning models that combine the powerful feature extraction capabilities of classical neural networks with the computational advantages of quantum circuits. Such hybrid architectures have shown considerable promise in enhancing classification accuracy while reducing computational complexity.

In brain tumor classification, hybrid quantum deep learning models provide an effective framework for learning discriminative features from MRI images and improving the classification of multiple tumor categories. The quantum component enhances feature representation and decision-making, enabling the model to capture intricate data relationships that may be difficult for conventional deep learning models to learn. As a result, these models offer improved scalability, robustness, and

generalization performance, making them suitable for next-generation medical image analysis.

In this work, we propose an **Efficient Hybrid Quantum Deep Learning Model for Multi-Class Brain Tumor Classification**. The proposed framework integrates a Convolutional Neural Network (CNN) for feature extraction with quantum computing techniques for enhanced feature processing and classification. The primary objective is to improve classification accuracy while reducing computational complexity and inference time. The model is trained and evaluated on a labelled MRI brain tumor dataset using standard performance metrics, including accuracy, precision, recall, F1-score, and specificity. Experimental results demonstrate that the proposed hybrid model outperforms conventional deep learning approaches in multi-class brain tumor classification, highlighting the potential of quantum-enhanced artificial intelligence for reliable and intelligent medical diagnostic systems.

II. RELATED WORK

Brain tumor analysis using Magnetic Resonance Imaging (MRI) has received significant attention in recent years because of its vital role in early diagnosis, treatment planning, and patient management. Numerous studies have focused on developing automated techniques to improve the accuracy, reliability, and speed of brain tumor detection. The rapid advancement of artificial intelligence, particularly machine learning and deep learning, has substantially enhanced the performance of computer-aided diagnostic systems.

Deep Learning Models

Deep learning has emerged as one of the most effective approaches for medical image analysis. Unlike traditional machine learning methods, deep learning models automatically learn hierarchical feature representations from MRI images, eliminating the need for manual feature extraction. Several studies have demonstrated that deep

learning architectures achieve superior performance in brain tumor classification by accurately identifying complex patterns and improving diagnostic reliability.

CNN-Based Classification

Convolutional Neural Networks (CNNs) are widely used for brain tumor classification because of their exceptional ability to extract spatial and contextual information from MRI images. CNN-based models automatically learn discriminative features from tumor regions, enabling accurate classification of different brain tumor types. Their success has significantly improved automated diagnosis while reducing dependence on manual interpretation by radiologists.

Image Preprocessing and Tumor Segmentation

Image preprocessing is an essential step in brain tumor classification as it enhances image quality and improves feature extraction. Common preprocessing techniques include image normalization, resizing, noise removal, contrast enhancement, and tumor segmentation. These techniques help isolate tumor regions and provide high-quality input data, enabling deep learning models to achieve improved classification performance and greater robustness.

MRI-Based Brain Tumor Detection

MRI remains the preferred imaging modality for brain tumor diagnosis due to its excellent soft tissue contrast and detailed anatomical visualization. Several studies have utilized MRI datasets to develop automated detection and classification systems capable of identifying multiple brain tumor categories. The integration of MRI with deep learning techniques has significantly increased diagnostic accuracy while reducing the time required for clinical assessment.

Performance Evaluation

The effectiveness of brain tumor classification models is generally evaluated using standard performance metrics such as accuracy, precision, recall, specificity, F1-score, and Area Under the Receiver Operating Characteristic Curve (AUC-ROC). Although recent deep learning models have achieved impressive classification performance, further improvements are still required to reduce computational complexity, improve generalization, and enhance classification accuracy for challenging tumor categories.

Conventional Machine Learning Approaches

Before the widespread adoption of deep learning, brain tumor classification primarily relied on conventional machine learning techniques. These methods required handcrafted feature extraction based on characteristics such as texture, shape, intensity, and statistical properties of MRI images. Classifiers including Support Vector Machines (SVM), K-Nearest Neighbours (KNN), Decision Trees, and Random Forests were commonly employed for tumor classification. While these approaches produced satisfactory results on smaller datasets, their performance largely depended on the quality of manually extracted features and often struggled to capture the complex and heterogeneous characteristics of brain tumours.

Motivation for Hybrid Quantum Deep Learning

Despite the remarkable success of deep learning, conventional CNN-based models require substantial computational resources and large annotated datasets for effective training. Their ability to classify visually similar tumor types may also be limited. Hybrid quantum deep learning has recently emerged as a promising alternative by combining the feature learning capability of classical neural networks with the computational advantages of quantum computing. Quantum-enhanced models offer improved feature representation, faster optimization, and better scalability, making them well suited for complex medical image analysis tasks. These advancements motivate the

development of efficient hybrid quantum deep learning frameworks for accurate and reliable multi-class brain tumor classification.

III. EXISTING SYSTEM

Existing brain tumor classification systems primarily rely on traditional machine learning and deep learning techniques for analysing Magnetic Resonance Imaging (MRI) scans. These approaches have significantly improved automated diagnosis by assisting radiologists in identifying different types of brain tumours. Conventional machine learning methods generally involve image preprocessing, handcrafted feature extraction, and classification using algorithms such as Support Vector Machines (SVM), K-Nearest Neighbours (KNN), Decision Trees, and Random Forests. Features including texture, shape, edge information, and intensity are manually extracted before classification. Although these methods have demonstrated reasonable performance, their accuracy is highly dependent on the quality of handcrafted features and expert domain knowledge.

With the rapid advancement of deep learning, Convolutional Neural Networks (CNNs) have become the dominant approach for brain tumor classification. CNNs automatically learn hierarchical feature representations from MRI images, eliminating the need for manual feature engineering. Several deep learning architectures, including VGGNet, ResNet, DenseNet, and EfficientNet, have achieved remarkable improvements in classification accuracy by effectively distinguishing multiple brain tumor categories. These models have significantly enhanced the reliability and efficiency of automated medical image analysis.

Despite these advancements, existing systems still face several limitations:

- **Limited Classification Accuracy:** Conventional models often struggle to

distinguish between visually similar tumor classes, leading to reduced classification performance in complex cases.

- **Dependence on Manual Diagnosis:** Although computer-aided systems assist clinicians, manual interpretation and verification are still required in many cases, making the diagnostic process time-consuming.
- **Susceptibility to Human Error:** Manual analysis of MRI scans is subject to observer variability, which may result in inconsistent diagnoses and affect clinical decision-making.
- **Limited Automation:** Many existing systems require multiple preprocessing and feature engineering steps, reducing the overall level of automation and increasing processing complexity.
- **High Computational Cost:** Deep learning models demand extensive computational resources and large annotated datasets for training. Training and inference can be computationally expensive, particularly for high-resolution MRI images.
- **Poor Generalization:** Many deep learning models are prone to overfitting when trained on limited datasets, resulting in reduced performance on previously unseen MRI images.
- **Long Processing Time:** The complexity of deep neural networks and large-scale medical imaging datasets often increases training and prediction time, limiting their applicability in real-time clinical environments.

These limitations highlight the need for more efficient and intelligent classification frameworks that can improve diagnostic accuracy while reducing computational complexity and processing time. Hybrid quantum deep learning models offer a promising solution by combining the feature extraction capability of classical deep learning with the computational advantages of quantum computing, enabling more accurate, scalable, and efficient brain tumor classification.

IV. PROPOSED SYSTEM

The proposed system presents an Efficient Hybrid Quantum Deep Learning Model for Multi-Class Brain Tumor Classification using Magnetic Resonance Imaging (MRI) images. The framework combines the powerful feature extraction capability of classical deep learning with the computational advantages of quantum computing to improve classification accuracy, enhance prediction performance, and reduce computational complexity. By integrating classical neural networks with quantum circuits, the proposed model effectively learns complex feature representations and accurately classifies multiple brain tumor types.

Key Features of the Proposed System

- **Higher Accuracy:** The hybrid quantum deep learning framework achieves superior classification accuracy by effectively capturing complex spatial and structural features from MRI images.
- **Faster Processing:** The proposed model reduces processing time by efficiently learning feature representations, enabling faster diagnosis and improved clinical decision-making.
- **Hybrid Deep Learning Architecture:** The integration of Convolutional Neural Networks (CNNs) with Parameterized Quantum Circuits (PQCs) combines the strengths of classical and quantum computing, resulting in enhanced feature learning and classification performance.
- **Improved Prediction:** The proposed system provides reliable and accurate predictions by effectively distinguishing multiple brain tumor categories, making it suitable for real-world clinical applications.

Methodology

The proposed framework begins with MRI image preprocessing, where noise is removed, images are resized, normalized, and enhanced to improve

image quality and ensure consistency across the dataset. Data augmentation techniques such as rotation, flipping, scaling, and translation are applied to increase the diversity of training samples, reduce overfitting, and improve the model's generalization capability.

Following preprocessing, the MRI images are passed through a Convolutional Neural Network (CNN) for automatic feature extraction. The CNN learns high-level spatial and structural features directly from the MRI images, eliminating the need for manual feature engineering and improving the representation of complex tumor characteristics.

The extracted features are then encoded into a Parameterized Quantum Circuit (PQC), which serves as the quantum layer of the hybrid model. The PQC exploits the principles of quantum superposition and entanglement to process high-dimensional feature representations efficiently. This quantum-enhanced processing enables the model to capture complex feature relationships that are difficult for conventional deep learning models to learn.

The output of the quantum layer is subsequently passed to fully connected layers for final classification. The proposed model classifies MRI images into multiple brain tumor categories, including glioma, meningioma, pituitary tumor, and no tumor. The model is trained and evaluated using standard performance metrics such as accuracy, precision, recall, F1-score, specificity, and Area Under the Receiver Operating Characteristic Curve (AUC-ROC).

Advantages of the Proposed System

The proposed hybrid quantum deep learning framework offers several advantages over existing deep learning approaches. It achieves higher classification accuracy while reducing computational complexity and improving

scalability. The integration of quantum computing enhances feature representation, accelerates the learning process, and improves the model's ability to generalize to unseen data. Consequently, the proposed system provides an efficient, reliable, and intelligent solution for automated brain tumor classification, demonstrating significant potential for future medical image analysis and computer-aided diagnostic systems.

V. SYSTEM ARCHITECTURE

The proposed hybrid quantum deep learning model is designed to improve the accuracy and efficiency of multi-class brain tumor classification using MRI images. It integrates the powerful feature extraction capabilities of classical deep learning with the computational advantages of quantum computing. The complete workflow consists of several interconnected stages, beginning with data preprocessing and ending with tumor prediction. Each stage plays a crucial role in enhancing the overall performance of the classification system.

Classification Layer

The proposed architecture consists of multiple processing layers, each performing a specific function in the classification pipeline. These layers work collaboratively to extract meaningful information from MRI images, learn discriminative features, and accurately classify different types of brain tumours. The hierarchical architecture enables the model to learn increasingly complex patterns as the data progresses through successive layers.

Data Preprocessing

Data preprocessing is the initial stage of the proposed framework. MRI images are cleaned by removing noise and unwanted artifacts to improve image quality. The images are then resized, normalized, and standardized to ensure consistency across the dataset. Data augmentation techniques, including rotation, flipping, scaling, and translation, are applied to increase the diversity of training

samples, minimize overfitting, and improve the model's ability to generalize to unseen data.

Model Training

The pre-processed images are provided as input to the hybrid deep learning model for training. A Convolutional Neural Network (CNN) automatically extracts high-level spatial features from the MRI images, eliminating the need for handcrafted feature engineering. The extracted features are subsequently processed through a Parameterized Quantum Circuit (PQC), which utilizes quantum computing principles such as superposition and entanglement to enhance feature representation. During training, both the classical and quantum parameters are optimized to minimize classification error and improve prediction performance.

Output Prediction


After the training process, the learned feature representations are passed to the final classification layer, which predicts the corresponding brain tumor category. The model identifies whether an MRI image belongs to a specific tumor class, such as **glioma, meningioma, pituitary tumor, or no tumor**. The prediction process is efficient and reliable, providing rapid diagnostic support for medical professionals.

Working Principle

The proposed model processes MRI images through a sequence of interconnected layers, allowing information to flow smoothly from one stage to the next. As the data passes through each layer, increasingly complex features are learned, enabling the system to distinguish subtle differences between tumor classes. The combination of classical deep learning and quantum computing significantly improves feature learning, reduces computational complexity, and enhances classification performance.

To improve model robustness, image normalization and augmentation techniques are incorporated during preprocessing to reduce variations in image intensity and increase dataset diversity. These strategies help prevent overfitting and improve the model's ability to perform accurately on previously unseen MRI images.

Overall, the proposed hybrid quantum deep learning framework provides an intelligent and scalable solution for automated brain tumor classification. By combining CNN-based feature extraction with quantum-enhanced learning, the system achieves higher classification accuracy, faster prediction, and greater computational efficiency than conventional deep learning approaches, making it a promising tool for next-generation medical image analysis and computer-aided diagnosis.



VI. MODULES USED IN PREDICTION

The development of an automated Brain Tumour Prediction System is a multi-stage process that transforms raw MRI brain images into accurate and actionable clinical predictions. The system is designed to perform brain tumour detection efficiently by combining image processing, feature extraction, deep learning, and optimization techniques. Each stage contributes to improving the accuracy, reliability, and overall performance of the prediction model.

The workflow of the system consists of the following major modules:

- **Data Acquisition:** This is the initial stage of the system, where MRI brain images are collected from hospitals, research institutions, or publicly available datasets. A diverse and high-quality dataset is essential to ensure that the model can accurately identify different types of brain tumours under various conditions.
- **Image Collection:** The collected MRI images are examined to ensure they are complete, correctly labelled, and free from corrupted or duplicate data. Maintaining high-quality image data improves the effectiveness of the subsequent processing stages.

- **Feature Derivation (Feature Extraction):** In this stage, meaningful characteristics are extracted from the MRI images. These features capture important information such as texture, shape, intensity, and structural patterns that help distinguish between normal and abnormal brain tissues. Effective feature extraction significantly enhances the model's prediction accuracy.
- **Categorization:** After extracting the relevant features, the images are categorized into different classes based on the presence or absence of a brain tumour. If a tumour is detected, the system identifies the affected region and classifies the tumour according to the predefined categories.

The entire process is organized into several functional modules, each playing an important role in ensuring the accuracy and reliability of the final diagnosis. By integrating computer vision techniques with deep learning algorithms, the system replicates the analytical capabilities of a radiologist while providing faster and more consistent results.

The process begins with the **Data Acquisition and Preprocessing Module**, where MRI images are collected and prepared for analysis. Since MRI scans may vary depending on the scanning equipment and imaging protocols, preprocessing is performed to standardize the images. This stage includes noise removal, image normalization, resizing, and contrast enhancement to improve image quality.

To improve the robustness of the model, **data augmentation** techniques such as rotation, flipping, scaling, and zooming are applied. These techniques increase the diversity of the training dataset, reduce overfitting, and improve the model's ability to generalize to unseen data.

The extracted features are then used to train a deep learning model. During training, the **Adam optimization algorithm** is employed to efficiently update the model's parameters and minimize prediction errors. In addition, **Grid Search** is used

for hyperparameter optimization by systematically evaluating different parameter combinations to identify the configuration that produces the highest classification accuracy.

Finally, the trained model undergoes evaluation using appropriate performance metrics to ensure its reliability and effectiveness. Once validated, the model is deployed as a Brain Tumour Prediction System capable of analysing new MRI scans and providing accurate tumour classification. This deployment stage enables the system to assist healthcare professionals by delivering fast, consistent, and reliable diagnostic support, ultimately contributing to improved clinical decision-making and patient care.

VII. METHODOLOGY

Brain Tumor Prediction and Analysis

Brain Tumor Prediction and Analysis is an advanced healthcare application that combines image processing and deep learning techniques to detect and analyze brain tumors from MRI scans. The primary objective of the project is to assist medical professionals by providing an accurate, efficient, and automated system for tumor detection and classification. The system integrates several technologies that work together to improve diagnostic accuracy and reduce manual effort.

The major components of the project include:

- **Convolutional Neural Network (CNN):** The core of the proposed system is a Convolutional Neural Network (CNN), which is widely used for medical image analysis. CNN automatically learns important features from MRI images and identifies complex tumor patterns, enabling accurate classification of brain tumors with high efficiency.
- **MRI Analysis:** MRI analysis is performed using brain scans collected from different patients. These images provide detailed information about brain tissues and tumor structures, allowing the model to

accurately detect abnormalities and support reliable clinical diagnosis.

- **Data Collection:** The effectiveness of the prediction model depends on the quality and quantity of the collected dataset. MRI images obtained from hospitals, medical institutions, and publicly available datasets are used to train and validate the deep learning model, improving its ability to generalize across different patient cases.
- **Image Processing:** Image processing techniques are applied before training the model to enhance image quality and improve prediction accuracy. These techniques include image resizing, normalization, noise removal, contrast enhancement, and data augmentation, ensuring that the input images are suitable for deep learning analysis.

The proposed system primarily utilizes **Convolutional Neural Networks (CNNs)** to extract meaningful features and learn representative patterns of tumor morphology. CNNs automatically identify important visual characteristics from MRI images without requiring manual feature engineering, making them highly effective for medical image classification.

For precise tumor localization and segmentation, the system employs the **U-Net architecture**, which consists of an **Encoder** and a **Decoder** network. The encoder extracts high-level semantic features from the MRI images, while the decoder reconstructs these features to generate detailed segmentation maps. This architecture enables accurate identification of tumor boundaries, which is essential for effective diagnosis and treatment planning.

The performance of the segmentation model depends on the quality of the training data, preprocessing techniques, and network optimization. To improve learning efficiency and achieve faster convergence, the **Adam optimization algorithm** is used during model training. Adam adaptively updates the network parameters by adjusting the learning rate, leading to improved accuracy, reduced training time, and better overall model performance. This optimization process enables the

system to generate reliable predictions and achieve high accuracy in brain tumor detection and analysis.

VIII. IMPLEMENTATION

The implementation of the Brain Tumour Prediction and Analysis System is carried out using the Python programming language, which provides extensive support for machine learning, deep learning, and image processing applications. The development process utilizes Python-based environments such as **Jupyter Notebook** and **Google Colab**, enabling efficient coding, model training, experimentation, and performance evaluation. Deep learning frameworks such as **TensorFlow** are used to build, train, and optimize the neural network models for brain tumour detection and classification.

The implementation consists of several stages, including data collection, image preprocessing, feature extraction, model training, segmentation, classification, and performance evaluation. Image preprocessing techniques such as resizing, normalization, noise reduction, and data augmentation are applied to improve the quality of MRI scans before they are provided as input to the deep learning model.

Brain tumours are among the most critical neurological disorders, and their early detection plays a vital role in improving patient outcomes and supporting effective treatment planning. Manual analysis of MRI scans can be time-consuming and may vary depending on the experience of the radiologist. Therefore, the proposed system employs advanced machine learning and deep learning techniques to automate the detection process and assist medical professionals in making accurate clinical decisions.

The system utilizes Convolutional Neural Networks (CNNs) and the U-Net architecture to learn meaningful features from MRI images, accurately identify tumour regions, and classify brain tumours with high precision. TensorFlow provides the computational framework for training these models,

while Python libraries such as NumPy, OpenCV, Matplotlib, and Scikit-learn support data processing, visualization, and model evaluation.


Overall, the implementation integrates modern image processing techniques with deep learning algorithms to develop an efficient, reliable, and scalable Brain Tumour Prediction and Analysis System capable of providing accurate diagnostic support for medical imaging applications.

The implementation of the Brain Tumour Prediction and Analysis System consists of the following major stages:

- **Dataset Collection:** The first stage involves collecting MRI brain image datasets from hospitals, research institutions, or publicly available medical databases. A diverse and high-quality dataset is essential for training a robust deep learning model. The collected data is carefully organized and prepared for preprocessing and model development.
- **Model Building:** In this stage, the deep learning model is designed and developed using Convolutional Neural Network (CNN) architectures. The model architecture is configured to learn meaningful features from MRI images and accurately identify brain tumours. Different network configurations and training strategies are explored to improve the model's overall performance and classification accuracy.
- **Model Testing:** Once the model is trained, it is tested using unseen MRI images to evaluate its ability to generalize to new data. Various testing techniques and performance measures are applied to verify the model's effectiveness. This stage ensures that the system produces consistent, reliable, and accurate predictions under different conditions.
- **Prediction:** After successful testing, the trained model is used to predict whether an MRI image contains a brain tumour. If a tumour is detected, the system classifies it according to the predefined categories and provides the prediction.

results. This automated prediction process enables fast and accurate diagnosis, assisting healthcare professionals in clinical decision-making.

- **Evaluation and Performance Analysis:** The final stage involves evaluating the overall performance of the proposed system using standard metrics such as accuracy, precision, recall, F1-score, specificity, and confusion matrix. These evaluation measures help determine the effectiveness, reliability, and robustness of the model. A detailed performance analysis is conducted to identify the strengths and limitations of the system, ensuring that it meets the required standards for brain tumour detection and classification.



RESULTS AND DISCUSSION

The experimental results are presented based on the primary objectives of the proposed deep learning framework. The proposed model is evaluated under different scenarios to assess its effectiveness, robustness, and classification performance for brain tumour detection.

Table 1: Presents the distribution of the dataset, highlighting the data composition, class distribution, and key observations regarding the data flow and characteristics of the brain tumour dataset.

Table 2: Illustrates the preprocessing techniques applied to the dataset, including data cleaning,

normalization, resizing, and augmentation steps performed before training the model.

Table 3: Provides a comprehensive comparison of the proposed method with different existing techniques. The comparison is based on various performance metrics obtained through real-time experimental evaluation.

Table 4: Summarizes the overall performance of the proposed model by comparing the results across different experimental settings. It highlights the improvements achieved through various optimization strategies and demonstrates the effectiveness of the proposed approach.

Additionally, the proposed model exhibits stable training behaviour, characterized by a consistent reduction in loss and a steady improvement in classification accuracy over multiple training epochs. The incorporation of data augmentation techniques effectively minimizes overfitting and enhances the model's generalization capability.

Overall, the experimental results demonstrate that the proposed deep learning approach is efficient, reliable, and well-suited for accurate multi-class brain tumour classification, achieving robust performance across diverse evaluation scenarios.

TABLE 1: DISTRIBUTION OF DATASET

CLASS	NO of images
Pituitary tumor	400
Tumor glioma	200
Tumor pituitary	950
normal	800

TABLE 2: PREPROCESSING TECHNIQUES

STEP	Description
Resizing	Images resized to fixed dimensions
Normalization	Pixel values scaled between 0 and 1
Noise Removal	Removes unwanted distortions

TABLE 3: COMAPARISON OF MODEL PERFORMANCE

Model	Accuracy
CNN	9%
CNN + Transfer	91%
Proposed Model	94%

TABLE 4: PERFORMACE METRICS

Metric	Value
precision	92%
accuracy	90%
F-1 score	97%
Recall	91%

CONCLUSION:

In conclusion, this study demonstrates the effectiveness of various deep learning models for automated brain tumour prediction and classification. By leveraging advanced techniques such as Convolutional Neural Networks (CNNs), Transfer Learning, and Ensemble Learning, the proposed approach achieves accurate and reliable prediction of brain tumours using medical imaging datasets. These models are capable of learning complex patterns

from diverse datasets, thereby improving classification performance and diagnostic accuracy.

The integration of these deep learning techniques represents a significant advancement in automated brain tumour analysis. The developed system has the potential to assist healthcare professionals by providing timely and accurate diagnostic support, reducing manual effort, and improving clinical decision-making. Furthermore, the automated prediction and reporting framework can enhance the efficiency of hospitals and medical centres by facilitating early detection and effective treatment planning.

Overall, the proposed methodology highlights the promising role of artificial intelligence in medical image analysis and demonstrates that deep learning-based brain tumour prediction systems can serve as valuable decision-support tools for doctors, contributing to improved patient care and better healthcare outcomes.

REFERENCES

- [1] J. K. Author, "Brain tumor classification using CNN," *IEEE Journal of Medical Imaging*, vol. 10, no. 2, pp. 123–130, Jan. 2022.
- [2] A. Sharma and P. Gupta, "Deep learning techniques for brain tumor detection," in *Proceedings of the International Conference on Artificial Intelligence*, 2021, pp. 45–50.
- [3] S. Roy *et al.*, "MRI-based brain tumor classification using deep learning," *IEEE Access*, vol. 8, pp. 56789–56798, 2020.
- [4] M. Khan and R. Singh, "Quantum-inspired machine learning models," *Journal of Computational Science*, vol. 15, pp. 200–210, 2022.
- [5] D. Patel, "Hybrid models in medical image analysis," in *Proceedings of the IEEE Conference on Healthcare Informatics*, 2021, pp. 100–105.
- [6] S. Deepak and P. M. Ameer, "Brain tumor classification using deep CNN features via transfer learning," *Computers in Biology and*

Medicine, vol. 111, Art. no. 103345, 2019.

[7] H. Mohsen *et al.*, "Classification using deep learning neural networks for brain tumors," *Future Computing and Informatics Journal*, vol. 3, no. 1, pp. 68–71, 2018.

[8] N. Abiwinanda *et al.*, "Brain tumor classification using convolutional neural network," in *Proceedings of the International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, 2019, pp. 1–6.

[9] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.

[10] "An Efficient Quantum Deep Learning Model for Multi-Class Brain Tumor Classification" in *International Journal of Novel*

Trends and Innovation, IJNTI | Volume 4, Issue 4 April 2026 | ISSN: 2984-908X | IJNTI.

[11] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," in *Advances in Neural Information Processing Systems (NeurIPS)*, 2012, pp. 1097–1105.

[12] M. Schuld and F. Petruccione, "Supervised learning with quantum computers," *Quantum Science and Technology*, vol. 3, no. 3, 2018.

[13] V. Havlíček *et al.*, "Supervised learning with quantum-enhanced feature spaces," *Nature*, vol. 567, no. 7747, pp. 209–212, 2019.

[14] E. Farhi and H. Neven, "Classification with quantum neural networks on near-term processors," *arXiv preprint arXiv:1802.06002*, 2018.